


INTUITIVE *CIVANO 125*



CIVANO 125 SPECIFICATION

Product Name	INTUITIVE <i>CIVANO 125</i>
Finish	Gold
Model	5W
Size	Ø125x178mm
Voltage/Hz	220-240V 50/60Hz
Color	2000K
Lumen(lm)	200lm
CRI	CRI>90
IP rate	IP20
Beam Angle	360°
Protocol	Bluetooth Sigmesh

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate:	x=0.5151	y=0.4189/u'=0.2945
	v'=0.5389	
CCT	2136K (duv=1.28e-03)	
Dominant Wavelength:	Ld =587.4m	Purity=80.4%
Color Ratio:	R=32.7%	G=65.8% B=1.5%
Peak Wavelength:	Lp= 635nm	FWHM= 120.3nm
Render Index(CRI):	Ra=95.0	Ra'=93.3
	R1 =96	R2 =98 R3 =98 R4 =97
	R5 =96	R6 =99 R7 =93 R8 =84
	R9 =67	R10=94 R11=99 R12=93
	R13=96	R14=97 R15=90

Photo Parameters:

Flux	274.55 lm
Efficiency	55.97 lm/W
Fe	1.123 W

Electrical Parameters:

Voltage:	230.4 V
Current:	0.03213 A
Power:	4.906 W
Power Factor:	0.663

LEVEL: OUT WHITE: OUT

Status: Interval: 5.0nm Ip= 1945(G=6,D=53)