



INTUITIVE *CAGE OVAL ONE*



CAGE OVAL ONE SPECIFICATION

| | |
|--------------|--------------------------------|
| Product Name | INTUITIVE CAGE OVAL ONE |
| Finish | Black/Gold |
| Model | 3.5W |
| Size | Ø110x160 |
| Voltage/Hz | 220-240V 50/60Hz |
| Color | 1800K |
| Lumen(lm) | 120lm |
| CRI | CRI>80 |
| IP rate | IP20 |
| Beam Angle | 330° |
| Protocol | Bluetooth Sigmesh |

Spectrum Test Report



Color Parameters:

| | |
|--------------------------|---|
| Chromaticity Coordinate: | x= 0.5379 y= 0.4110/u'= 0.3139 V'= 0.5395 |
| CCT | 1897K(Duv=-0.0001) |
| Dominant Wavelength: | Ld =589.9nm Purity= 84.8% |
| Color Ratio: | R=35.5% G=63.3% B=1.3% |
| Peak Wavelength: | Lp= 617.6nm FWHM= 101.3nm |
| Render Index(CRI): | Ra= 81.4 AvgR= 78.4 R1 =81 R2=95 R3 =89 R4 =78 R5 =82 R6 =97 R7 =77 R8 =53 R9 =12 R10=90 R11=80 R12=92 R13=84 R14=95 R15=71 |

Photo Parameters:

| | |
|------------|------------|
| Flux | 120.2 lm |
| Efficiency | 35.07 lm/W |
| Fe | 440.4 mW |

Electrical Parameters:

| | |
|---------------|-----------|
| Voltage: | 230.38 V |
| Current: | 0.03063 A |
| Power: | 3.428 W |
| Power Factor: | 0.4859 |

LEVEL: OUT WHITE: OUT

Status: Integral T= 609 ms Ip= 51747 (79%)