


INTUITIVE *VIKIT 60*



VIKIT 60 SPECIFICATION

Product Name	INTUITIVE <i>VIKIT 60</i>
Finish	Gold
Model	4W
Size	Ø60x105mm
Voltage/Hz	220-240V 50/60Hz
Color	2000K
Lumen(lm)	150lm
CRI	CRI>90
IP rate	IP20
Beam Angle	360°
Protocol	Bluetooth Sigmesh

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate:	x =0.5222 y= 0.4143/u'= 0.3015 v'= 0.5383
CCT	2044K (duv=1.15-04)
Dominant Wavelength:	Ld =588.5m Purity=81.1%
Color Ratio:	R=34.1% G=64.4% B=1.5%
Peak Wavelength:	Lp= 640nm FWHM= 117.2nm
Render Index(CRI):	Ra=97.3 Ra'=96.3
	R1 =96 R2 =99 R3 =99 R4 =96
	R5 =96 R6 =97 R7 =91 R8 =84
	R9 =67 R10=97 R11=99 R12=92
	R13=97 R14=99 R15=91

Photo Parameters:

Flux	194.81 lm
Efficiency	48.52 lm/W
Fe	824.4 mW

Electrical Parameters:

Voltage:	230.4 V
Current:	0.02707 A
Power:	4.015 W
Power Factor:	0.644

LEVEL: OUT WHITE: OUT

Status: Interval: 5.0nm Ip= 1436 (G=6, D=52)